

## DATA SHEET

# Préparateur / Preparatory Agent

### Description

Harmony Preparatory Agent is used to prepare surfaces for the application of Harmony Patina on concrete or Harmony Acid Stain by opening up the pores in the base material.

It can also be used as a detergent to clean all concrete surfaces.

It maintains a clean smooth finish (or P) or in the case of a +ea, / a#sent porosity of the support. This product can not improve a#sor#ency.

### Characteristics

Type: Detergent

Packaging: 1 / 10 l

Dosage: 1 litre / 1 m<sup>2</sup> undiluted and depending upon surface porosity

Storage: 12 months in unopened original pack, aging\* stored in a dry and frost-free location.

4 year warranty / 5 manufacturer's liability

### Tools & Cleaning

8 liter spray nozzle, \* gloves and protective goggles.

Wash tools in water after use.

### Preparation

Before starting\* ensure that no protective product such as pore sealer\* lacquer or curing agent has been applied. This might prevent the penetration of water.

To do this\* apply a small quantity of water to the surface to be coloured at a number of points.

If the water is absorbed rapidly\* the surface is porous.

Otherwise\* if the water forms into droplets\* your surface is not porous\* and there is a product present which is preventing the penetration of water.

At this stage of the process\* it is essential to identify what type of product has been applied.

If the surface is protected by acrylic lacquer or a concrete +a; finish \* we would recommend the use of a lacquer stripper\* or grinding of the surface concerned.

## Application

Application must be completed at a temperature range of 10°C to 30°C

1. Harmony Preparatory Agent should be applied at a dilution

of 100 ml/litre depending upon surface porosity

2. Spray Harmony Preparatory Agent in a controlled direction in order to

prevent any infiltration of the mist generated by atomisation

3. Leave the product to act for a few minutes then wash with Harmony neutral cleaning agent

4. Rinse with water and leave to dry for 24 hours



The information included in this datasheet is derived from our knowledge and experience of products. It is not the objective of this sheet to provide a complete range of potential uses and forms of application together with the constraints associated with the conditions of application or specific conditions. The data contained herein are provided for information only and do not constitute a guarantee. Before any application, it should be checked that the present datasheet has not been superseded by a subsequent version of the product. For more information, contact us at [army@army.com](mailto:army@army.com)

HA 5 BCD 9ETBC

01 47 82 11 11 S 5 ACE "B" >> BC 4 JE

Téléphone (+33) 01 47 82 11 11 Télécopie (+33) 01 47 82 11 12

[army@army.com](mailto:army@army.com)